

news

HVAC 2020



3 re-sealable and interchangeable bags



designed and tested
for **acid and alkaline cleaners** use

Wally

PE Cover for Safe Split Cleaning

WALLY is a transparent polyethylene (PE) cover that ensures complete protection of the area around the split during cleaning operations. Thanks to WALLY the technician can clean the evaporator and its heat exchanger with a minimum disassembly, leaving the split to the wall. Cleaners rinsing water and dirt will flow into the 20-liter bucket (included in the kit of no.10 covers), without damaging the surrounding surfaces.



Art.-Nr.		
PM1006.01	01	56



Wally +

Black PET Cover for Safe Split Cleaning

WALLY + is a waterproof black Polyester (PET) cover that ensures complete protection of the area around the split during cleaning operations. Thanks to WALLY + the technician can clean the evaporator and its heat exchanger with a minimum disassembly, leaving the split to the wall. It is available in 3 different sizes to guarantee perfect adhesion on wall mounted air conditioners up to 125 cm. Cleaners, rinsing water and dirt will flow into the bucket through the interchangeable drain pipe, without damaging the surrounding surfaces.

Art.-Nr.	Descrizione		
PM1005.01.S	Split max 85 cm	01	56
PM1005.01.M	Split max 105 cm	01	56
PM1005.01.L	Split max 125 cm	01	56
TB1026.01	Ricambio tubo di scolo		



Ceily

PE Cover for Safe Ceiling Air Conditioner Cleaning

CEILY is a plastic cover with a metal frame specifically designed to guarantee the cleaning operation of ceiling air conditioner without dirtying the surrounding area. CEILY is delivered in a practical bag containing both the metal structure and the protective cover. Spare PE covers are available.


Advantages:

- ✓ No dirt on surrounding surfaces.
- ✓ Fast and easy installation.

Art.-Nr.		
PM1010.01	01	56



Cover in PE (senza telaio)

Art.-Nr.		
PM1011.01	01	56



TIPS

Jet Gun

Shoulder high-pressure water jet machine for Air Conditioners Cleaning



Evo Tabs Tablets Purifying Cleaner for Evaporators



Evo Ultra Evaporators Cleaner



Jet Gun

Shoulder high-pressure water jet machine for Air Conditioners Cleaning

JET GUN is a practical portable high-pressure water jet machine with shoulder strap specifically designed and tested to be used indifferently with acid, alkaline cleaners and water for cleaning indoor and outdoor air conditioner units. The 3 re-sealable bags - supplied with the bag - can be filled with acid or alkaline cleaners or water and can be used and interchanged quickly according to the desired application.

JET GUN works with a rechargeable battery that allows uninterrupted use for 30 minutes. Thanks to the 6 BAR pressure (85psi) JET GUN increases the cleansing power of the cleaners without damaging the finned batteries of the evaporator and condenser units. Adjustable spray tip converts from steam to mist the liquid.

Features:

Up to **30 min's** run time on battery

Battery features: 12 V-2200 mAh lead rechargeable battery

Working pressure: 6 BAR (85 psi)

It includes:

Battery charger 110-220 V

3 re-sealable and interchangeable 10 L bags for cleaners and water

Adjustable spray tip converts from steam to mist.

Art.-Nr.		
VP1050.01	01	56



Jet Gun Pro

Features:

Up to **150 min's** run time on battery

no. 1 Battery 12 V-2200 mAh lead rechargeable battery +

no. 1 Additional Battery 12 V-9000 mAh lithium rechargeable battery

Art.-Nr.		
RK1444	01	56



Jet Gun Pro MAX

Features:

Up to **300 min's** run time on battery

no. 1 Battery 12 V-2200 mAh lead rechargeable battery +

no. 1 Additional Battery 12 V-20000 mAh lithium rechargeable battery

Art.-Nr.		
RK1445	01	56



Ultra Cleaning TECHNOLOGY

Acid Ultra, Alkaline Ultra and Evo Ultra are pure active substances specifically designed and formulated to dilute with water and used to clean AC/R Evaporators and Condensers.

Their formula allows to create eco-friendly products, as the quantity of plastic that should be used to contain the traditional concentrated cleaners has been removed, reducing the impact on the ecosystem.

Indeed, Acid Ultra, Alkaline Ultra and Evo Ultra are packed in 250 ml glass bottles to create 5L of cleaner which removes even the most stubborn dirt. The optimal recommended dilution is 50 ml per liter of water.

The supplied dispenser allows to obtain the desired quantity of cleaner with the precision that a so performing chemical product needs, without dilute the whole product in a single solution.

The extraordinary formula of these active substances allows us to overcome the limits of water hardness. In fact, these products can be diluted with any type of water, including very hard ones and do not leave any residue on the surfaces.



Acid Ultra

Acid Cleaner for Condensers

ACID ULTRA is an active substances formula that diluted with water create an ultimate powerful acid cleaner for condenser that descales even the most stubborn deposits (rust, salt deposits) restoring the efficiency of the condenser heat exchange.



Art.-Nr.	€		
AB1222.Q.S1	-	06	570

Alkaline Ultra

Alkaline Cleaner for Condensers

ALKALINE ULTRA is an active substances formula that diluted with water create an ultimate powerful alkaline cleaner for condenser which can effectively degreases surfaces by removing even the most stubborn deposits of organic residues, grease, dust, pollen and smog.



Art.-Nr.	€		
AB1223.Q.S1	-	06	570

Evo Ultra

Evaporators Cleaner

EVO ULTRA is an active substances formula that diluted with water create an ultimate powerful cleaner for evaporator which can effectively clean the surfaces by removing even the most stubborn deposits of organic residues, grease and incrustations.



Art.-Nr.	€		
AB1225.Q.S1	-	06	570



FixQuick

Ultra-fast UV Fluorescent Leak Stop

FIXQUICK is the new ultra-fast Leak Stop by Errecom, specifically formulated to repair in max 30 seconds leaks up to 1 mm in diameter on flat and curved surfaces. It guarantees a seal up to 50 Bar pressure and 250°C. It can be used on metals and plastic materials used in vehicle A/C systems. Its fluorescent formulation allows to easily check the status of the performed fixing using a UV lamp and to identify any previous repairs.


How does it work?

The product can be applied both on a curved and flat surface, which must be perfectly dry and clean. It is recommended to use THOR to clean the surface. Apply in sequence on the leakage area the STEP1 liquid product, then STEP2 powder and again STEP1 to make the fixing uniform. Wait 20" for a repair that can withstand a pressure of 20 Bar or 20 min to withstand a pressure of 50 Bar.

Benefits:

It can be used both on metals and plastic materials. It can be used on flat or curved surfaces.

In 20 seconds it seals the leak resisting to a pressure up to 20 Bar. In 20 minutes it seals the leak resisting to a pressure up to 50 Bar. It resists up to 250 °C. It is visible with UV lamp.



Art.-Nr.

TR1180.01



Top Flush



Flushing Fluid alternative to Decafluoro Pentane (equivalent to Vertrel XF Dupont)

TOPFLUSH is a hydrofluorocarbon fluid for rinsing and drying with zero ozone-depletion potential (ODP) and low global warming potential (GWP). TOP FLASH has unique physical properties: low boiling point, low heat of vaporization, excellent solvent retention, low surface tension, nonflammability, chemical and thermal stability, low toxicity.

Benefits:

✓ It also eliminates the residual water trapped in the cracks and in the thinnest blind holes. ✓ It degreases deeply. ✓ It remove particles and dust. ✓ It evaporates very quickly and completely, speeding up the drying process. ✓ It is effective even after numerous boiling cycles.



Art.-Nr.	Description		
TR1184.K.01	Metal tank 1 L	-	-
TR1184.P.01	Metal tank 5 L	-	-
TR1184.T	Metal tank 25 L	-	-