

HEADER DETAIL DRAWING (S=NS)

- NOTE**
1. Coating color : WHITE
  2. FAN & MOTOR wiring must be done according to circuit.
  3. COOLING CAPACITY : 1085W ( Air inlet Temp. -17°C, Evap Temp -25°C)
  4. AIR VOLUME : 1152 CMH
  5. After commissioning the product, make sure to ship it.

**SPECIFICATION**

MODEL	COIL SPEC.	PIPE PITCH	FIN SPACING	FAN	MOTOR	DEFROST HEATER		INLET	INLET	DRAIN
						COIL	DRAIN			
TSS015L	3/8" SR 7S 640EL	R=27.5 S=31.75	8.0	φ250 x 2EA	1Ph 220V 19W 4P 50Hz x 2EA	0.70kW x	0.86kW x	φ12.7	φ15.88	25A


REV.	DESCRIPTION	DATE	DRAWN	CHECKED	APPRO.
△					
△					
△					

11	FAN COVER	PPU150	For φ250	2	
10	MOTOR BRACKET	SGCC	1.6 T	1	
9	ANCHOR BRACKET	SGCC	2.3 T	4	
8	SIDE COVER-U	AL	1.0 T	1	
7	SIDE COVER-H	AL	1.0 T	1	
6	U-BEND COVER	AL	1.0 T	1	
5	HEADER COVER	AL	1.0 T	1	
4	FRONT PANEL	AL	1.0 T	1	
3	DRAIN PANEL	AL	1.0 T	1	
2	TOP PANEL	AL	1.0 T	1	
1	COIL ASS'Y			1	

PROJECT T S S 0 1 5 L

DRAWING of. UNIT COOLER ASSY DWG.No

SCALE	DESIGNED	DRAWN BY	CHECKED	APPROVED
	LEE MIN HWAN			
DATE	2016. 12. 17			



**KYUNG DONG INDUSTRIAL CO., LTD**